

Dry Bath Incubator


DB-100

Product Information

The DB-100 Dry Bath Incubator is a microprocessor-controlled product using advanced thermoelectric technique. With this technique, more stable and accurate temperature control is achieved. Replacement is convenient with optional metal block of various specifications configured for different types of test tubes.

Features

- LCD display. It is easy to set up and use
- Simultaneous display of set and actual time, temperature
- Temperature deflection adjusting meet with different demands
- Easy to replace the metal blocks and is very simple to clean and sterilize
- Microprocessor controlled incubation time and temperature
- Beep-signal/Stop after program completed



Specification

Model	DB-100
Temperature Control Range	RT.+5°C~100°C
Timing Range	1min~99h59min
Temp. Control Accuracy	±0.5°C
Display Accuracy	±0.1°C
Heating Time(25 to 100°C)	≤12min
Heating Part	Heater
Certificate	CE
Dimension(mm)	300 x 220x 180
Net Weight	2.5kg

Block for DB-100

Type	Description
A	96x0.2ml
B	54x0.5ml
C	35x1.5ml
D	35x2.0ml
E	15x0.5ml+20x1.5ml
F	24xDiameter≤Φ12mm tubes
G	12x15ml Falcon
H	6x50ml Falcon
I	103x67x30mm Bath Block
J	96x0.2ml Microplate
K	24x5ml tubes
L	96-Deep well plate
M	15x5ml Eppendorf tubes